

# CW-15K

## DYNAMIC CHECKWEIGHER

### In Line Checkweigher

CW-15K is a high-speed industrial checkweigher built for mid-range products weighing between 1kg and 15kg. It offers weighing accuracy within  $\pm 5g$  and features a full touchscreen, servo motor system, and dual photoelectric sensors for stable, precise performance. With modular design, remote communication support, and efficient operation, the CW-15K is ideal for demanding production environments.

### Key Features

- The CW-15K checkweigher is suitable for products ranging in weight from 1kg to 15kg.
- Offers weighing accuracy within  $\pm 5g$ .
- Features a 10-inch touch screen, capable of storing up to 100 different product presets.
- Supports various rejector options and integration with metal detectors, ideal for pouches, bags, bottles, and soft-sided containers.

**15kg**

**Maximum Capacity**

**$\pm 5g$**

**Accuracy**

**85 Pcs/min**

**Speed**

### Multiple Industrial Applications

- Food & beverage
- Bulk packaging lines
- Chemical & industrial manufacturing
- Logistics, warehousing, and dispatch lines
- & much more.



**TITAN**  
AUTOMATION  
AUTOMATING AFRICA



# SPECIFICATION SHEET


# CW-15K

## Specifications

Model	CW-15K
Maximum Capacity	15kg
Scale Division	1g
Best Accuracy	±5g
Highest Weighing Speed	85pcs/min
Belt Speed	45-68m/min
Belt Size	800mmx500mm
Weighing Platform Height	750+100mm/-50mm
Belt Material	PVC (Black)
Structure of Material	Carbon steel, S304 stainless steel
Alarm Light	3-Colour Signal Light (Red, Yellow, Green)Optional Buzzer
Display Size	10-inch Colour Touch Screen
Rejector Lineup	Roller push type
Power	Single Phase: AC-220V±10%, 50/60HZ 275W
Operating Temperature	0-40°C
IP Grade	IP54,IP65 Optional




**TITAN**  
AUTOMATION  
AUTOMATING AFRICA



# STRUCTURE & DIMENSIONS

## CW-15K



**TITAN**  
AUTOMATION  
AUTOMATING AFRICA

