

CW-100G Pro

DYNAMIC CHECKWEIGHER

In Line Checkweigher

CW-100G Pro is a high-speed, high-precision checkweigher for products between 5g and 100g. It features a 15-inch touchscreen, servo motor system for stability, and double photoelectric sensors for accurate detection. With modular design, adjustable speed, and communication feedback, it's built for fast, efficient production lines.

Key Features

- The CW-100G Pro checkweigher is suitable for products ranging from 5g to 500g.
- Offers weighing accuracy within $\pm 0.1g$.
- Features a 15-inch touchscreen with real-time data monitoring and process insights.
- Widely used in pharmaceutical, food, logistics and automated packaging applications. ,

100g
Weighing Range

$\pm 0.1g$
Accuracy

300+Pcs/min
Speed

Multiple Industrial Applications

- Pharmaceutical production lines.
- Food & beverage processing.
- Animal feed packaging.
- Animal feed packaging.
- Logistics & warehousing.
- Automation & high-speed production line.
- Chemical & manufacturing industries.
- & much more.



TITAN
AUTOMATION
AUTOMATING AFRICA




SPECIFICATION SHEET

CW-100G Pro

Specifications


Model	CW-100G Pro
Maximum Capacity	500g
Scale Division	0.05g
Best Accuracy	±0.1g
Highest Weighing Speed	300 pcs/min
Belt Speed	10-70 m/min
Belt Size	200mmx150mm
Weighing Platform Height	750+100mm/-50mm
Belt Material	PU (White)
Structure of Material	S304 Stainless steel
Alarm Light	3-Colour Signal Light (Red, Yellow, Green) Optional Buzzer
Display Size	15-inch Colour Touch Screen
Rejector Lineup	Options: Air Blow or Push Type.
Power	Single Phase: AC-220V±10%, 50/60HZ 375W
Operating Temperature	0-45°C
IP Grade	IP65



Depends on the weight, size, and material of the test object. Test Accuracy 0.1g at 120pcs/min | 0.2g at 200pcs/min






TITAN
AUTOMATION
AUTOMATING AFRICA



STRUCTURE & DIMENSIONS

CW-100G Pro



TITAN
AUTOMATION
AUTOMATING AFRICA

